

Tulltaxan Fildistribution

XML-filer

Version 1.7
2023-09-15

1.	Uppbyggnad av XML-fil	6
1.1.	Detaljsektion i XML-filer som distribueras	6
2.	Innehåll i xml-filerna	8
2.1.	AdditionalCode.xml	8
2.1.1.	Gruppelement additionalCodeFootnoteAssociation.....	8
2.1.2.	Gruppelement additionalCodeDescriptionPeriod.....	9
2.1.3.	Gruppelement additionalCodeDescription.....	9
2.1.4.	Exempel på <items> sektion.....	9
2.2.	Certificate.xml	10
2.2.1.	Gruppelement certificateDescriptionPeriod	10
2.2.2.	Gruppelement certificateDescription	11
2.2.3.	Exempel på <items> sektion.....	11
2.3.	DeclarableGoodsNomenclature.xml.....	12
2.3.1.	Uppbyggnad av xml-fil	12
2.3.2.	Exempel på <items> sektion.....	13
2.4.	Footnote.xml.....	13
2.4.1.	Gruppelement footnoteDescriptionPeriod	14
2.4.2.	Gruppelement footnoteDescription	14
2.4.3.	Exempel på <items> sektion.....	14
2.5.	GeographicalArea.xml	16
2.5.1.	Gruppelement geographicalAreaMembership	16
2.5.2.	Gruppelement geographicalAreaDescriptionPeriod	17
2.5.3.	Gruppelement geographicalAreaDescription	17
2.5.4.	Exempel på <items> sektion.....	17
2.6.	GoodsNomenclatureGroup.xml	18
2.6.1.	Gruppelement goodsNomenclatureGroupDescription	19
2.6.2.	Exempel på <items> sektion.....	19
2.7.	LookupTable.xml	19
2.7.1.	Gruppelement lookupTableItem.....	20
2.7.2.	Gruppelement lookupTableDescription	20
2.8.	MeasureAction.xml	21
2.8.1.	Grupp element measureActionDescription.....	21
2.8.2.	Exempel på <items> sektion.....	21
2.9.	MeasureConditionCode.xml.....	22
2.9.1.	Gruppelement measureConditionCodeDescription.....	22

2.9.2. Exempel på <items> sektion.....	22
2.10. MeasureType.xml.....	23
2.10.1. Grupp element measureTypeDescription.....	24
2.10.2. Exempel på <items> sektion.....	24
2.11. Measurement.xml.....	24
2.11.1. Exempel på <items> sektion.....	25
2.12. MeasurementUnit.xml.....	25
2.12.1. Gruppelement measurementUnitDescription	26
2.12.2. Exempel på <items> sektion.....	26
2.13. MeasurementUnitQualifier.xml.....	27
2.13.1. Gruppelement measurementUnitQualifierDescription	27
2.13.2. Exempel på <items> sektion.....	27
2.14. MeursingTablePlan.xml.....	28
2.14.1. Exempel på <items> sektion.....	28
2.15. MeursingAdditionalCode.xml.....	29
2.15.1. Exempel på <items> sektion.....	29
2.15.2. Gruppelement meursingTableCellComponent.....	29
2.15.3. Exempel på <items> sektion.....	30
2.16. MeursingHeading.xml	30
2.16.1. Gruppelement meursingHeadingFootnoteAssociation	31
2.16.2. Gruppelement meursingHeadingText	31
2.16.3. Exempel på <items> sektion.....	31
2.17. MeursingSubheading.xml	32
2.17.1. Exempel på <items> sektion.....	33
2.18. MonetaryExchangePeriod.xml.....	33
2.18.1. Gruppelement monetaryExchangeRate.....	34
2.18.2. Exempel på <items> sektion.....	34
2.19. PreferenceCode.xml.....	Fel! Bokmärket är inte definierat.
2.19.1. Grupp element preferenceCodeDescription.....	36
2.19.2. Exempel på <items> sektion.....	36
2.20. QuotaBalanceEvent.xml.....	37
2.20.1. Exempel på <items> sektion.....	37
2.21. QuotaDefinition.xml	38
2.21.1. Gruppelement quotaAssociation.....	39
2.21.2. Gruppelement quotaBlockingPeriod	39

2.21.3. Gruppelement quotaSuspensionPeriod	39
2.21.4. Gruppelement extendedQuotaInformation	40
2.21.5. Exempel på <items> sektion.....	40
2.22. QuotaEvent.xml.....	42
2.22.1. quotaUnblockingEvent.....	42
2.22.2. quotaCriticalEvent.....	43
2.22.3. quotaExhaustionEvent.....	43
2.22.4. quotaReopeningEvent	43
2.22.5. quotaUnsuspensionEvent.....	44
2.22.6. quotaClosedAndBalanceTransferredEvent.....	44
2.22.7. Exempel på <items> sektion.....	45
2.23. QuotaOrderNumber.xml	46
2.23.1. Gruppelement quotaOrderNumberOrigin	46
2.23.2. Gruppelement quotaOrderNumberOriginExclusion	46
2.23.3. Exempel på <items> sektion.....	47
2.24. Regulation.xml.....	47
2.24.1. baseRegulation.....	47
2.24.2. modificationRegulation.....	48
2.24.3. fullTemporaryStopRegulation	49
2.24.4. Gruppelement fullTemporaryStopRegulationAction	50
2.24.5. Exempel på <items> sektion.....	50
2.25. ReliefCode.xml.....	51
2.25.1. Gruppelement reliefCodeDescriptionPeriod.....	51
2.25.2. Gruppelement reliefCodeDescription	52
2.25.3. Exempel på <items> sektion.....	52
2.26. TaxCode.xml.....	53
2.26.1. Gruppelement taxDescription	53
2.26.2. Exempel på <items> sektion.....	53
2.27. DutyExpression.xml.....	54
2.27.1. Gruppelement dutyExpressionDescription	55
2.27.2. Exempel på <items> sektion.....	55
2.28. GoodsNomenclature.xml.....	55
2.28.1. Gruppelement goodsNomenclatureIndent	56
2.28.2. Gruppelement goodsNomenclatureDescriptionPeriod.....	56
2.28.3. Gruppelement goodsNomenclatureDescription	57

2.28.4. Gruppelement goodsNomenclatureFootnoteAssociation	57
2.28.5. Gruppelement goodsNomenclatureGroupMembership	58
2.28.6. Exempel på <items> sektion.....	58
2.29. ExportRefundNomenclature.xml	59
2.29.1. Gruppelement exportRefundNomenclatureIndent	60
2.29.2. Gruppelement exportRefundNomenclatureDescriptionPeriod.....	60
2.29.3. Gruppelement exportRefundNomenclatureDescription.....	61
2.29.4. Gruppelement exportRefundNomenclatureFootnoteAssociation	61
2.29.5. Exempel på <items> sektion.....	61
2.30. Measure.xml.....	62
2.30.1. Gruppelement measureComponent	64
2.30.2. Gruppelement measureCondition	64
2.30.3. Gruppelement measureConditionComponent	65
2.30.4. Gruppelement measureExcludedGeographicalArea	65
2.30.5. Gruppelement measureFootnoteAssociation	66
2.30.6. Gruppelement measurePartialTemporaryStop.....	66
2.30.7. Exempel på <items> sektion.....	66
2.31. CodeList.xml	68
2.31.1. Grupp element codeTypeDescription.....	69
2.31.2. Exempel på <items> sektion.....	69

1. Uppbyggnad av XML-fil

Var och en av XML-filerna innehåller samma huvudinformation och har olika detaljsektioner beroende av vilken XSD som blir refererad. Exemplet nedan visar ett utdrag ur en MeasureAction_{id}.xml fil. XSD-referensen indikeras med gul överstrykning.

```
<?xml version='1.0' encoding='UTF-8'?>
<export xsi:schemaLocation="http://www.arcticgroup.se/tariff/arctictariff/export
MeasureAction.xsd "
        xmlns="http://www.arcticgroup.se/tariff/arctictariff/export"
        xmlns:at="http://www.arcticgroup.se/tariff/arctictariff/export"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<id>9d7c9857-7167-4acf-a7a4-ce65e9fc38ce</id>
<exportType>MeasureActionObject</exportType>
<parameters>
    <queryDateStart>2014-01-01</queryDateStart>
</parameters>
<items>
    :
    xml detalj sektion
    :
</items>
</export>
```

1.1. Detaljsektion i XML-filer som distribueras

Elementgrupperingar och enskilda elementtaggar beskrivs i tabellform. Elementgrupperingar anges först i tabellerna och i kursiverad stil. Element grupperingar anges med sin förekomst (t. ex 0..n, 1..n). Enskilda element anges med sin typ. Ursprung indikerar om det är en av EU definierad element-tag eller en nationell element-tag.

Element ref/ Element namn	Beskrivning	Typ	Ursprung
<i>Underordnad elementgrupp i xml-beskrivning</i>	Element gruppreferens	Occurs 0..n	
Elementnamn	xxxxxx	N(19,0)	EU definierad

Element-typ	Beskrivning	Exempel
N(a, b)	Numeriskt element. a: totala antal positioner inklusive decimalavskiljare b: antalet decimala positioner	N(8,3)
C(a)	Textelement a: antalet tecken	C(100)

C(a+)	<p>Stort textelement</p> <p>a+: antal positioner som anges enligt EU dokumentation</p> <p>(CLOB): Indikerar att uppgifterna är lagrade i databas i ett "Character Large OObject" och därför (rent tekniskt) kan innehålla fler tecken.</p>	C(2000) (CLOB)
datum	<p>Datumfält med skiljetecken ('-' används)</p> <p>Formaterat som: yyyy-mm-dd</p> <p>yyyy: årsdel mm: månadsdel dd: dagdel</p>	datum
timestamp	<p>Datumfält med tidsangivelse</p> <p>Formaterat som: yyyy-mm-ddTtt:mm:ss</p> <p>yyyy: årsdel mm: månadsdel dd: dagdel tt: timdel mm: minutdel ss: sekunddel</p>	timestamp
National (a)	<p>Indikator för Nationell uppgift</p> <p>Typen är alltid Numerisk 1 tecken (N(1)) och har den värdet 1 så indikerar det en nationell uppgift och värdet 0 indikerar en EU uppgift</p>	N(1)

Exempel:

<exportType>AdditionalCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>additionalCodeFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>additionalCodeDescriptionPeriod</i>	Element ref	Occurs 0..n	
SID	SID for additional code	N(19,0)	EU defined

2. Innehåll i xml-filerna

2.1. AdditionalCode.xml

En tilläggskod (Additional code) identifierar en text som är associerad med en kombination av varukod och en åtgärd. En tilläggskod kan återanvändas.

<exportType>AdditionalCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>additionalCodeFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>additionalCodeDescriptionPeriod</i>	Element ref	Occurs 0..n	
SID	SID for additional code	N(19,0)	EU defined
additionalCodeType	Additional code type id	C(1)	EU defined
additionalCodeId	Additional code, SAD Ref : Box 33:2-4	C(3)	EU defined
dateStart	Validity start date of additional code	datum	EU defined
dateEnd	Validity end date of additional code	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.1.1. Gruppelement additionalCodeFootnoteAssociation

En fotnot kan ha en association med en tilläggskod för en del av fotnotens giltighetsperiod och för en del av tilläggskodens giltighetsperiod.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type id	C(3)	EU defined
footnoteId	Footnote id	C(5)	EU defined
dateStart	Validity start date of association between additional codes and footnotes	datum	EU defined

dateEnd	Validity end date of association between additional codes and footnotes	datum	EU defined
national	National Flag indication national data	N(1)	

2.1.2. Gruppelement additionalCodeDescriptionPeriod

Beskrivningsperiod(er) associerad med text för tilläggskod. Beskrivningen av en tilläggskod kan ändras oberoende av tilläggskoden.

Element ref / Element name	Description	Type	Origin
<i>additionalCodeDescription</i>	Element ref	Occurs 1..n	
SID	SID for additional code description	N(19,0)	EU defined
dateStart	Validity start date of additional code description	Datum	EU defined
dateEnd	End date for completion of the period	Datum	EU defined
national	Indication of national data	N(1)	

2.1.3. Gruppelement additionalCodeDescription

Beskrivning av en tilläggskodstyp. Det kan bara finnas en beskrivning för en tilläggskodstyp.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Long description of additional code	C(2000) (CLOB)	EU defined
national	Indication of national data	N(1)	

2.1.4. Exempel på <items> sektion

```
<items>
  <additionalCode
    at:additionalCodeId="045"
    at:national="0" at:SID="2835"
    at:dateStart="1972-01-01"
    at:additionalCodeType="3"
    at:changeType="U">
    <additionalCodeDescriptionPeriod
      at:national="0" at:SID="287"
      at:dateStart="1972-01-01">
    <additionalCodeDescription>
```

```

at:description="Cold finished bar: if cold formed: LQEX."
at:languageId="EN"
at:national="0"/>
<additionalCodeDescription
    at:description="Stång, färdigbearbetad i kallt tillstånd, tillformad i kallt tillstånd:
    LQEX." at:languageId="SV"
    at:national="0"/>
</additionalCodeDescriptionPeriod>
</additionalCode>
</items>

```

2.2. Certificate.xml

I Certifikat.xml definieras licenser, certifikat och liknande dokument som krävs för att upprätta import/export deklarationer. Certifikat är inte upprättade som separata åtgärdstyper utan som villkor för olika åtgärdstyper.

<exportType>CertificateObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>certificateDescriptionPeriod</i>	Element ref	Occurs 0..n	
<i>certificateType</i>	SID for additional code	C(1)	EU defined
<i>certificateCode</i>	Additional code type id	C(3)	EU defined
<i>dateStart</i>	Validity start date of certificate	datum	EU defined
<i>dateEnd</i>	Validity end date of certificate	datum	EU defined
<i>national</i>	National Flag indication of national data	N(1)	
<i>changeType</i>	Represent the type of update that has been performed for this element	C(1)	

2.2.1. Gruppelement certificateDescriptionPeriod

Beskrivningen av ett certifikat kan ändras oberoende av certifikat typkod och certifikatkod. Beskrivningsperioden för ett certifikat innehåller start-/slutdatum och beskrivningen för certifikatet.

Element ref / Element name	Description	Type	Origin
<i>certificateDescription</i>	Element ref	Occurs 1..n	
<i>SID</i>	SID for certificate description	N(19,0)	EU defined
<i>dateStart</i>	Validity start date	datum	EU defined
<i>dateEnd</i>	Validity end date	datum	EU defined

national	National Flag indication of national data	N(1)	
----------	---	------	--

2.2.2. Gruppelement certificateDescription

Certifikat beskrivningen innehåller beskrivningen för certifikatet för ett specificerat språk och för en särskild period.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of certificate	C(2000)	EU defined
national	Indication of national data	N(1)	

2.2.3. Exempel på <items> sektion

```
<items>
  <certificate
    at:certificateCode="079"
    at:certificateType="L"
    at:national="0"
    at:dateStart="1993-01-01"
    at:changeType="U">
    <certificateDescriptionPeriod
      at:national="0"
      at:SID="1030"
      at:dateStart="1993-01-01">
        <certificateDescription
          at:description="Textile products: import licence"
          at:languageId="EN"
          at:national="0"/>
        <certificateDescription
          at:description="Textilvaror: importlicens"
          at:languageId="SV"
          at:national="0"/>
      </certificateDescriptionPeriod>
    </certificate>
  </items>
```

2.3. DeclarableGoodsNomenclature.xml

Innehåller alla varukoder som är deklarerabara mellan ett specificerat startdatum och ett specificerat slutdatum. Varukoder för export och import ligger i samma xml-fil. Export/Import varukoder åtskiljs mha. antalet tecken i *goodsNomenclatureCode* elementet. Varukoder för export är dem med 8-ställig kod och varukoder för import är dem med 10-ställig varukod.

2.3.1. Uppbyggnad av xml-fil

DeclarableGoodsNomenclature.xml skiljer sig från de övriga xml-filerna då den även specificerar tag-paret <queryDateEnd></queryDateEnd> i parameter-sektionen.

```
<?xml version='1.0' encoding="UTF-8'?>
<export xsi:schemaLocation="http://www.arcticgroup.se/tariff/arctictariff/export
DeclarableGoodsNomenclature.xsd "
         xmlns="http://www.arcticgroup.se/tariff/arctictariff/export"

         xmlns:at="http://www.arcticgroup.se/tariff/arctictariff/export"
         xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<id>e28df9d1-17d4-4db7-bab5-bc7033e1b2d0</id>
<exportType>GoodsNomenclatureObject</exportType>
<parameters>
    <queryDateStart>2010-03-01</queryDateStart>
    <queryDateEnd>2017-03-01</queryDateEnd>
</parameters>
<items>
    :
    xml detalj sektion
    :
</items>
</export>
```

<exportType>GoodsNomenclatureObject</exportType>

Element ref / Element name	Description	Type	Origin
goodsNomenclatureCode	Goods nomenclature item id	C(10)	EU defined
dateStart	Start date of declarable code	datum	EU defined
dateEnd	End date of declarable code	datum	EU defined
changeType	Represent the type of update that has been performed for this element	C(1)	
type	'E' indicates Export and 'I' indicates Import	C(1)	

2.3.2. Exempel på <items> sektion

```
<items>
  <declarableGoodsNomenclature
    at:goodsNomenclatureCode="01029021"
    at:dateEnd="2011-12-31"
    at:dateStart="1993-01-01"
    at:changeType="U"
    at:type='E'>
    </declarableGoodsNomenclature>
    <declarableGoodsNomenclature
      at:goodsNomenclatureCode="9931270000"
      at:dateStart="2009-01-01"
      at:changeType="U"
      at:type='I'>
      </declarableGoodsNomenclature>
      <declarableGoodsNomenclature
        at:goodsNomenclatureCode="9931240000"
        at:dateStart="2009-01-01"
        at:changeType="U"
        at:type='I'>
      </declarableGoodsNomenclature>
    </declarableGoodsNomenclature>
  </items>
```

2.4. Footnote.xml

En fotnot refererar till en text som antingen är en klargörande beskrivning (t.ex för uppgifter i tulltaxan) eller en begränsning av dess användning (t.ex för en åtgärd).

<exportType>FootnoteObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>footnoteDescriptionPeriod</i>	Element ref	Occurs 0..n	
<i>footnoteType</i>	Footnote type	C(3)	EU defined
<i>footnoteld</i>	Footnote id	C(5)	EU defined
<i>dateStart</i>	Validity start date of footnote code	datum	EU defined
<i>dateEnd</i>	Validity end date of footnote code	datum	EU defined
<i>national</i>	National Flag indication of national data	N(1)	
<i>changeType</i>	Represent the type of update that has been performed for this element	C(1)	

2.4.1. Gruppelement footnoteDescriptionPeriod

Beskrivningsperiod associerade med en fotnotstext. Beskrivningen av en fotnot kan ändras oberoende av fotnoten. Fotnot beskrivningsperioden innehåller start-/slutdatum av fotnotsbeskrivningen.

Element ref / Element name	Description	Type	Origin
<i>footnoteDescription</i>	footnoteDescription	Occurs 1..n	
SID	SID of footnote description period	N(19,0)	EU defined
dateStart	Validity start date of footnote description	datum	EU defined
dateEnd	End date for completion of the period	datum	EU defined
national	National Flag indication of national data	N(1)	

2.4.2. Gruppelement footnoteDescription

Fotnotsbeskrivningen innehåller den text som är associerad med fotnoten för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Long description of footnote	C(2000) (CLOB)	EU defined
national	Indication of national data	N(1)	

2.4.3. Exempel på <items> sektion

```
<items>
  <footnote
    at:footnoteId="053"
    at:footnoteType="TN"
    at:national="0"
    at:dateStart="1988-01-01"
    at:changeType="U">
    <footnoteDescriptionPeriod
      at:SID="1443"
      at:national="0"
      at:dateStart="1988-01-01">
    <footnoteDescription
      at:description="Special milk for infants means products free from pathogenic germs"
```

and which have fewer than 10 000 revivifiable aerobic bacteria and fewer than two coliform bacteria per gramme."
at:languageId="EN"
at:national="0"/>

<footnoteDescription
at:description="Specialmjölk för spädbarn innehåller produkter fria från sjukdomsalstrande mikrober och vilka har färre än 10 000 aeroba bakterier och mindre än två kolibakterier per gram."
at:languageId="SV"
at:national="0"/>
</footnoteDescriptionPeriod>
</footnote>
</items>

2.5. GeographicalArea.xml

Definierar ett geografiskt område (land, områdesgrupp eller region). Det geografiska områdesidet för ett land är dess ISO-kod. Det geografiska idet för en områdesgrupp eller en region är inte en ISO-kod. Grupperingen av geografiska områden används för att begränsa datavolymen i de fall då samma information är giltig för flera geografiska områden (ett exempel är länder som omfattas av GSP). Geografiska områden upprättas och vidmakthålls i samband med EU-beslut.

<exportType>GeographicalAreaObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>geographicalAreaMembership</i>	Element ref	Occurs 0..n	
<i>geographicalAreaDescriptionPeriod"</i>	Element ref	Occurs 0..n	
SID	SID for geographical area	N(19,0)	EU defined
geographicalAreaCode	Geographical area code	N(1)	EU defined
geographicalAreaId	Geographical area id, SAD Ref : Box 34 (Country Code ISO 3166)	C(4)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
SIDParentGroup	SID for parent geographical area group	N(19,0)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.5.1. Gruppelement geographicalAreaMembership

Det geografiska områdets medlemskap definierar den period som ett geografiskt område är en medlem av en grupp. Det är inte obligatoriskt att medlemsperioden omfattar hela giltighetsperioderna för det geografiska området eller den geografiska områdesgruppen.

Element ref / Element name	Description	Type	Origin
SIDGeographicalAreaGroup	SID for geographical area group	N(19,0)	EU defined

dateStart	Validity start date of geographical area membership	datum	EU defined
dateEnd	Validity end date of geographical area membership	datum	EU defined
national	National Flag indication national data	N(1)	

2.5.2. Gruppelement geographicalAreaDescriptionPeriod

Namnet på det geografiska området kan ändras över tiden.

Element ref / Element name	Description	Type	Origin
<i>geographicalAreaDescription</i>	Element ref	Occurs 1..n	
SID	SID for additional code description	N(19,0)	EU defined
dateStart	Validity start date of geographical area description	datum	EU defined
dateEnd	End date for completion of the period	datum	EU defined
national	Indication of national data	N(1)	

2.5.3. Gruppelement geographicalAreaDescription

Den geografiska områdesbeskrivningen innehåller namnet för det geografiska området för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description, for Geographical area name	C(2000)	EU defined
national	Indication of national data	N(1)	

2.5.4. Exempel på <items> sektion

```
<items>
<geographicalArea
  at:geographicalAreaId="GE"
  at:national="0"
  at:SID="111"
  at:dateStart="1992-06-01"
```

```

at:geographicalAreaCode="0"
at:changeType="U">
    <geographicalAreaMembership
        at:dateEnd="2005-06-30"
        at:SIDGeographicalAreaGroup="217"
        at:dateStart="1993-01-01"
        at:national="0"/>
<geographicalAreaDescriptionPeriod
    at:national="0"
    at:SID="168"
    at:dateStart="1992-06-01">
    <geographicalAreaDescription
        at:description="Georgia"
        at:languageId="EN"
        at:national="0"/>
        <geographicalAreaDescription
            at:description="Georgien"
            at:languageId="SV"
            at:national="0"/>
    </geographicalAreaDescriptionPeriod>
</geographicalArea>
</items>

```

2.6. GoodsNomenclatureGroup.xml

Varukodsgrupper används för att gruppera varukoder i olika klasser eller kategorier. T.ex. alla koder som hör till en textilkategori eller en jordbrukssektor.

<exportType>GoodsNomenclatureGroupObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>goodsNomenclatureGroupDescription</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureGroupType</i>	Goods nomenclature group type	C(1)	EU defined
<i>goodsNomenclatureGroupId</i>	Goods nomenclature group id	C(6)	EU defined
<i>dateStart</i>	Validity start date of goods nomenclature group	datum	EU defined
<i>dateEnd</i>	Validity end date of goods nomenclature group	datum	EU defined
<i>nomenclatureGroupFacilityCode</i>	Nomenclature group facility code	C(1)	EU defined

national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.6.1. Gruppelement goodsNomenclatureGroupDescription

Beskrivningen av en varukodsgrupp.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of nomenclature group	C(2000)	EU defined
national	Indication of national data	N(1)	

2.6.2. Exempel på <items> sektion

```

<item>
  <goodsNomenclatureGroup
    at:nomenclatureGroupFacilityCode="0"
    at:goodsNomenclatureGroupId="010000"
    at:goodsNomenclatureGroupType="A"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <goodsNomenclatureGroupDescription
      at:description="Agricultural products of Annex I of the Treaty"
      at:languageId="EN"
      at:national="0"/>
    <goodsNomenclatureGroupDescription
      at:description="Jordbruksprodukter upptagna i bilaga I till Fördraget"
      at:languageId="SV"
      at:national="0"/>
  </goodsNomenclatureGroup>
</item>

```

2.7. LookupTable.xml

Innehåller min- och maxvärden som används i nationella avgiftsberäkningar och som gör det möjligt att definiera olika avgiftsnivåer baserat på t.ex. antal eller vikt.

Element ref / Element name	Description	Type	Origin
<i>lookupTableItem</i>	Element ref	Occurs 0..n	
<i>lookupTableDescription</i>	Element ref	Occurs 0..n	
SID	SID of lookup table	N(19,0)	EU defined
tableId	Lookup table id	C(20)	EU defined
dateStart	Validity start date of lookup table	datum	EU defined
dateEnd	Validity end date of lookup table	datum	EU defined
minInterval	Minimum interval of lookup table	N(16,8)	EU defined
maxInterval	Maximum interval of lookup table	N(16,8)	
interpolate	Interpolate flag indication {0, 1}	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.7.1. Gruppelement **lookupTableItem**

Innehåller detaljuppgifter om olika intervall för min- och max värden i lookup-tabell.

Element ref / Element name	Description	Type	Origin
threshold	Threshold value in the range of MIN_INTERVAL and MAX_INTERVAL	N(16,8)	EU defined
value	The lookup table item value	N(16,8)	EU defined

2.7.2. Gruppelement **lookupTableDescription**

Beskrivning av en lookup-tabell. Det kan bara finnas en beskrivning för varje specificerat språk.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Long description of lookup table	C(2000)	EU defined

2.8. MeasureAction.xml

Aktiviteter för åtgärder definierar det som ska ske när ett givet villkor är uppfyllt. T.ex. beskrivningen ”01” som betyder ”tillämplig avgift”, som ska förstås som att kostnaden/avgiften för åtgärden ska läggas till totalen.

<exportType>MeasureActionObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureActionDescription</i>	Element ref	Occurs 0..n	
actionCode	Action code	C(3)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	C(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.8.1. Grupp element measureActionDescription

Beskrivningen av en aktivitet för en åtgärd.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	EU defined
description	Short description	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.8.2. Exempel på <items> sektion

```
<items>
  <measureAction
    at:actionCode="01"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <measureActionDescription
      at:description="Apply the amount of the action (see components)"
      at:languageId="EN" at:national="0"/>
    <measureActionDescription
      at:description="Tillämpa beloppet" at:languageId="SV"
      at:national="0"/>
```

```
</measureAction>
</items>
```

2.9. MeasureConditionCode.xml

Ett villkor för en åtgärd definierar ett brett område där villkor krävs, t.ex. ”C” som indikerar att det förväntas att ett certifikat ska uppvisas; ”uppvisande av certifikat krävs”.

```
<exportType>MeasureConditionCodeObject</exportType>
```

Element ref / Element name	Description	Type	Origin
<i>measureConditionCodeDescription</i>	Element ref	Occurs 0..n	
conditionCode	Condition code	C(2)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.9.1. Gruppelement measureConditionCodeDescription

Beskrivningen av en villkorskod för en åtgärd.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of measure condition	C(500)	EU defined
national	National Flag indication of national data	N(1)	

2.9.2. Exempel på <items> sektion

```
<items>
  <measureConditionCode
    at:conditionCode="A"
    at:national="0"
    at:dateStart="1995-01-01"
    at:changeType="U">
```

```

<measureConditionCodeDescription
    at:description="Presentation of an anti-dumping/countervailing
    document"
    at:languageId="EN"
    at:national="0"/>
<measureConditionCodeDescription at:description="Antidumpnings-
/utjämningstulldokument ska uppvisas"
    at:languageId="SV"
    at:national="0"/>
</measureConditionCode>
</item>

```

2.10. MeasureType.xml

Åtgärdstypen definierar en tullmässig åtgärd. Åtgärder i Tulltaxan täcker ett stort fält av information som bl.a. innehåller avgiftsåtgärder (t.ex. skatter och anti-dumping avgifter) och icke-avgiftsåtgärder (t.ex. kvantitativ begränsning eller förbud).

<exportType>MeasureTypeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureTypeDescription</i>	Element ref	Occurs 0..n	
measureType	Measure type id	C(6)	EU defined
dateStart	Validity start date of measure type id	datum	EU defined
dateEnd	Validity end date of measure type id	datum	EU defined
tradeMovementCode	Trade movement code	C(1)	EU defined
priorityCode	Priority code	C(1)	EU defined
measureComponentApplicableCode	Measure component applicable code	C(1)	EU defined
originDestinationCode	Origin/destination code	C(1)	EU defined
orderNumberCaptureCode	Order number capture code	C(1)	EU defined
explosionLevel	Measure explosion level	C(2)	EU defined
measureTypeSeriesId	Measure type series id	C(2)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.10.1. Grupp element measureTypeDescription

Beskrivningen av en åtgärdstyp.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of measure type	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.10.2. Exempel på <items> sektion

```
<items>
  <measureType
    at:measureComponentApplicableCode="1"
    at:explosionLevel="10"
    at:national="0"
    at:orderNumberCaptureCode="2"
    at:originDestinationCode="0"
    at:priorityCode="1"
    at:measureTypeSeriesId="C"
    at:dateStart="1972-01-01"
    at:tradeMovementCode="0"
    at:measureType="103"
    at:changeType="U">
    <measureTypeDescription
      at:description="Third country duty"
      at:languageId="EN"
      at:national="0"/>
    <measureTypeDescription
      at:description="Tredjelandstullsats"
      at:languageId="SV" at:national="0"/>
  </measureType>
</item>
```

2.11. Measurement.xml

Beräkning definierar relationen mellan en beräkningsenhet och en kvalificerare. Detta upprättas för att undvika meningslösa kombinationer.

<exportType>MeasurementObject</exportType>

Element ref / Element name	Description	Type	Origin

measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	measurementUnitQualifierCode	C(1)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.11.1. Exempel på <items> sektion

```
<items>
  <measurement
    at:measurementUnitCode="LTR"
    at:measurementUnitQualifierCode="A"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U"/>
  <measurement
    at:measurementUnitCode="MTQ"
    at:measurementUnitQualifierCode="C"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U"/>
  <measurement
    at:measurementUnitCode="NAR"
    at:measurementUnitQualifierCode="B"
    at:national="0" at:dateStart="1970-01-01"
    at:changeType="U"/>
</items>
```

2.12. MeasurementUnit.xml

Beräkningsenhet refererar till motsvarande ISO-kod.

<exportType>MeasurementUnitObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measurementUnitDescription</i>	Element ref	Occurs 0..n	
measurementUnitCode	Measurement unit code	C(3)	EU defined

dateStart	Validity start date of measurement unit code	datum	EU defined
dateEnd	Validity end date of measurement unit code	datum	EU defined
national	National Flag indication of national data	N(1)	
nationalAbbreviation	National Abbreviation	C(200)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.12.1. Gruppelement measurementUnitDescription

Beskrivningen av en beräkningsenhet.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of measurement unit	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.12.2. Exempel på <items> sektion

```
<items>
  <measurementUnit
    at:measurementUnitCode="ASV"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <measurementUnitDescription
      at:description="%vol"
      at:languageId="EN"
      at:national="0"/>
    <measurementUnitDescription
      at:description="vol-%"
      at:languageId="SV"
      at:national="0"/>
  </measurementUnit>
</item>
```

2.13. MeasurementUnitQualifier.xml

Extra mängdenheter används för att detaljspecifiera mängdenheter. T.ex. kan mängdenheten ”kilogram” ytterligare specificeras som ”netto” eller ”gross”.

<exportType>MeasurementUnitQualifierObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measurementUnitQualifierDescription</i>	Element ref	Occurs 0..n	
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
dateStart	Validity start date of measurement unit qualifier code	datum	EU defined
dateEnd	Validity end date of measurement unit qualifier code	datum	EU defined
national	National Flag indication of national data	N(1)	
nationalAbbreviation	National Abbreviation	C(200)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.13.1. Gruppelement measurementUnitQualifierDescription

Beskrivning av en extra mängdenhet.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of measurement unit qualifier	C(500)	EU defined
national	National Flag indication of national data	C(1)	

2.13.2. Exempel på <items> sektion

```
<items>
  <measurementUnitQualifier
    at:national="0"
    at:measurementUnitQualifierCode="A"
    at:dateStart="1970-01-01"
    at:changeType="U">
```

```

<measurementUnitQualifierDescription
    at:description="Total alcohol"
    at:languageId="EN"
    at:national="0"/>
<measurementUnitQualifierDescription
    at:description="total alkoholhalt"
    at:languageId="SV"
    at:national="0"/>
</measurementUnitQualifier>
</item>

```

2.14. MeursingTablePlan.xml

Meursingtabell plan innehåller ramen för en specifik meursingtabell som består av tilläggskoder strukturerade i rubriker och underrubriker.

<exportType>MeursingTablePlanObject</exportType>

Element ref / Element name	Description	Type	Origin
meursingTablePlanId	Meursing table plan id	C(2)	EU defined
dateStart	Validity start date of Meursing table plan	datum	EU defined
dateEnd	Validity end date of Meursing table plan	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.14.1. Exempel på <items> sektion

```

<items>
    <meursingTablePlan
        at:national="0"
        at:meursingTablePlanId="01"
        at:dateStart="1988-01-01"
        at:changeType="U"/>
</items>

```

2.15. MeursingAdditionalCode.xml

En Meursing tilläggskod refererar till en särskild sammansättning av en vara. T.ex. innehållande av mjölkfett eller mjölkprotein.

<exportType>MeursingAdditionalCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>meursingTableCellComponent</i>	Element ref	Occurs 0..n	
SID	SID for Meursing additional code	N(19,0)	EU defined
additionalCodeId	additionalCodeId	C(3)	EU defined
dateStart	Validity start date of Meursing additional code	datum	EU defined
dateEnd	Validity end date of Meursing additional code	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.15.1. Exempel på <items> sektion

```
<items>
  <meursingAdditionalCode
    at:additionalCodeId="520"
    at:national="0"
    at:SID="397"
    at:dateStart="1988-01-01"
    at:changeType="U">
  <meursingTableCellComponent
    at:headingNumber="010"
```

2.15.2. Gruppelement meursingTableCellComponent

En Meursing tabellcell innehåller en association mellan en Meursing tilläggskod och en sammansättning av innehåll. Alla tabellceller med samma Meursing tilläggskod beskriver tillsammans alla valida sammansättningar för aktuell tilläggskod.

Element ref / Element name	Description	Type	Origin
meursingTablePlanId	meursingTablePlanId	C(2)	EU defined
headingNumber	Meursing heading number	C(3)	EU defined
rowColumnCode	Meursing row/column code	C(1)	EU defined
subheadingSequenceNumber	Meursing subheading sequence number	C(4)	EU defined
dateStart	Validity start date of Meursing table cell component	datum	EU defined
dateEnd	Validity end date of Meursing table cell component	datum	EU defined
national	National Flag indication national data	N(1)	

2.15.3. Exempel på <items> sektion

```
<items>
  <meursingAdditionalCode
    at:additionalCodeId="520"
    at:national="0"
    at:SID="397"
    at:dateStart="1988-01-01"
    at:changeType="U">
  <meursingTableCellComponent
    at:headingNumber="010"
```

2.16. MeursingHeading.xml

Meursing rubrikerna innehåller delar av regelverket för Meursing tilläggskoder.

<exportType>MeursingHeadingObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>meursingHeadingFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>meursingHeadingText</i>	Element ref	Occurs 0..n	
meursingTablePlanId	Meursing table plan id	C(2)	EU defined
headingNumber	Meursing heading number	C(3)	EU defined
rowColumnCode	Row/column code	C(1)	EU defined

dateStart	Validity start date of Meursing heading	datum	EU defined
dateEnd	Validity end date of Meursing heading	datum	EU defined
national	National Flag indication national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.16.1. Gruppelement meursingHeadingFootnoteAssociation

Associationen mellan en fotnot och en Meursingrubrik kan vara applicerbar för en del av giltighetsperioden för endera fotnoten eller giltighetsperioden för Meursingrubriken.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type	C(3)	EU defined
footnoteld	Footnote id	C(5)	EU defined
dateStart	Start of validity of association between Meursing heading and footnote	datum	EU defined
dateEnd	End of validity of association between Meursing heading and footnote	datum	EU defined
national	National Flag indication national data	N(1)	

2.16.2. Gruppelement meursingHeadingText

Beskrivningen av Meursing rubrik

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of Meursing heading	C(500)	EU defined
national	National Flag indication national data	N(1)	

2.16.3. Exempel på <items> sektion

```
<items>
  <meursingHeading
    at:headingNumber="010"
```

```

at:meursingTablePlanId="01"
at:rowColumnCode="1"
at:national="0"
at:dateStart="1988-01-01"
at:changeType="U">
<meursingHeadingFootnoteAssociation
    at:footnoteId="001"
    at:footnoteType="MH"
    at:dateStart="1994-09-09"
    at:national="0"/>
<meursingHeadingText
    at:description="Stärkelse/Glukos (per viktprocent)"
    at:languageId="SV"
    at:national="0"/>
<meursingHeadingText
    at:description="Starch/Glucose (% by weight)"
    at:languageId="EN"
    at:national="0"/>
</meursingHeading>
</item>

```

2.17. MeursingSubheading.xml

Innehåller delar av (definitions-)regelverket för Meursing tilläggskoder.

<exportType>MeursingSubheadingObject</exportType>

Element ref / Element name	Description	Type	Origin
meursingTablePlanId	Meursing table plan id	C(2)	EU defined
headingNumber	Meursing heading number	C(3)	EU defined
rowColumnCode	Row/column code	C(1)	EU defined
subheadingSequenceNumber	Meursing subheading sequence number	C(4)	EU defined
dateStart	Validity start date of Meursing subheading	datum	EU defined
dateEnd	Validity end date of Meursing subheading	datum	EU defined
description	Short description of Meursing subheading	C(500)	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.17.1. Exempel på <items> sektion

```
<items>
  <meursingSubheading
    at:description="&gt;= 0 &lt; 5"
    at:headingNumber="010"
    at:meursingTablePlanId="01"
    at:rowColumnCode="1"
    at:subheadingSequenceNumber="0010"
    at:national="0" at:dateStart="1988-01-01"
    at:changeType="U"/>
  <meursingSubheading
    at:description="&gt;= 0 &lt; 5"
    at:headingNumber="010"
    at:meursingTablePlanId="01"
    at:rowColumnCode="1"
    at:subheadingSequenceNumber="0020"
    at:national="0"
    at:dateStart="1988-01-01"
    at:changeType="U"/>
</items>
```

2.18. MonetaryExchangePeriod.xml

Innehåller överordnad ("förälder") valutakod och period information.

<exportType>MonetaryExchangePeriodObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>monetaryExchangeRate</i>	Element ref	Occurs 0..n	
SID	SID for exchange period	N(19,0)	EU defined
monetaryUnitCode	Parent monetary unit code	C(3)	EU defined
dateStart	Start date of exchange period	datum	EU defined
dateEnd	End date of exchange period	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.18.1. Gruppelement monetaryExchangeRate

Innehåller underordnad ("barn") valutakod och växlingskurser. Växelkursen definierar den mängd av underordnad ("barn") valuta som behövs för att erhålla 1 enhet av överordnad ("förälder") valutaenheten för en given period.

Element ref / Element name	Description	Type	Origin
monetaryUnitCode	Child monetary unit code	C(3)	EU defined
monetaryConversionRate	Exhange rate	N(16,8)	EU defined
calculationUnit	Multiplier to apply to EXCHANGE_RATE before displaying it	N(19,0)	National defined
national	National Flag indication national data	N(1)	

2.18.2. Exempel på <items> sektion

```
<items>
  <monetaryExchangePeriod
    at:national="0"
    at:monetaryUnitCode="EUC"
    at:SID="-2"
    at:dateStart="2006-05-01"
    at:changeType="U">
    <monetaryExchangeRate
      at:monetaryConversionRate="1"
      at:monetaryUnitCode="EUR"
      at:national="0"/>
  </monetaryExchangePeriod>
  <monetaryExchangePeriod
    at:dateEnd="2014-01-31"
    at:national="0"
    at:monetaryUnitCode="EUR"
    at:SID="2913"
    at:dateStart="2014-01-01"
    at:changeType="U">
    <monetaryExchangeRate
      at:monetaryConversionRate="4.4813"
      at:monetaryUnitCode="RON"
      at:national="0"/>
    <monetaryExchangeRate
      at:monetaryConversionRate="3.4528"
      at:monetaryUnitCode="LTL"
      at:national="0"/>
  </monetaryExchangePeriod>
</items>
```

2.19. unquotedMonetaryExchangePeriod.xml

Innehåller överordnad ("förälder") valutakod och period information.

<exportType>unquotedMonetaryExchangePeriodObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>unquotedmonetaryExchangeRate</i>	Element ref	Occurs 0..n	
SID	SID for exchange period	N(19,0)	EU defined
monetaryUnitCode	Parent monetary unit code	C(3)	EU defined
dateStart	Start date of exchange period	datum	EU defined
dateEnd	End date of exchange period	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.19.1. Gruppelement unquotedMonetaryExchangeRate

Innehåller underordnad ("barn") valutakod och växlingskurser. Växelkursen definierar den mängd av underordnad ("barn") valuta som behövs för att erhålla 1 enhet av överordnad ("förälder") valutaenheten för en given period.

Element ref / Element name	Description	Type	Origin
monetaryUnitCode	Child monetary unit code	C(3)	EU defined
monetaryConversionRate	Exhange rate	N(16,8)	EU defined
calculationUnit	Multiplier to apply to EXCHANGE_RATE before displaying it	N(19,0)	National defined
national	National Flag indication national data	N(1)	

2.19.2. Exempel på <items> sektion

```
<items>
<unquotedMonetaryExchangeRate at:description="Anguilla, Antigua och Barbuda, Dominica, Grenada, Montserrat, Saint Kitts och Nevis, Saint Lucia, Saint Vincent och Grenadinerna. - östkaribisk dollar"
at:exchangeRateInParent="4.04294000" at:monetaryConversionRate="0.24734475" at:dateStart="2023-09-01" at:monetaryUnitCode="XCD"/>
<unquotedMonetaryExchangeRate at:description="Benin, Burkina Faso, Elfenbenskusten, Guinea-Bissau, Mali, Niger, Senegal, Togo. - CFA-franc" at:exchangeRateInParent="0.01814000"
at:monetaryConversionRate="55.12679162" at:dateStart="2023-09-01" at:monetaryUnitCode="XOF"/>
```

```

<unquotedMonetaryExchangeRate at:description="Franska Polynesien, Nya Kaledonien, Wallis och
Futuna. - CFP-franc" at:exchangeRateInParent="0.09908000"
at:monetaryConversionRate="10.09285426" at:dateStart="2023-09-01" at:monetaryUnitCode="XPF"/>
<unquotedMonetaryExchangeRate at:description="Jemen - jemenitisk riyal"
at:exchangeRateInParent="0.04363000" at:monetaryConversionRate="22.92000917" at:dateStart="2023-
09-01" at:monetaryUnitCode="YER"/>
<unquotedMonetaryExchangeRate at:description="Zambia - zambisk kwacha"
at:exchangeRateInParent="0.54052000" at:monetaryConversionRate="1.85007030" at:dateStart="2023-
09-01" at:monetaryUnitCode="ZMW"/>
</items>

```

2.20. PreferenceCode.xml

Innehåller förmånskoder och giltighetsperioder.

<exportType>PreferenceCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>preferenceCodeDescription</i>	Element ref	Occurs 0..n	
prefCode	Preference code id	C(3)	
dateStart	Validity start date of preference code	datum	
dateEnd	Validity end date of preference code	datum	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.20.1. Grupp element preferenceCodeDescription

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	
description	Long description of preference code	C(2000)	

2.20.2. Exempel på <items> sektion

```

<items>
  <preferenceCode
    at:prefCode="100"
    at:dateStart="1971-01-01"
    at:changeType="U">
    <preferenceCodeDescription
      at:description="Tullsats för tredjeland erga omnes"
      at:languageId="SV"/>
  </preferenceCode>
</items>

```

```

<preferenceCodeDescription
    at:description="Erga omnes third country duty rates"
    at:languageId="EN"/>
</preferenceCode>
</item>

```

2.21. QuotaBalanceEvent.xml

Information om balansen (volymen) för en tullkvot.

<exportType>QuotaBalanceEventObject</exportType>

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
oldBalance	Old balance	N(14,3)	EU defined
newBalance	New balance	N(14,3)	EU defined
importedAmount	Imported amount	N(14,3)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
lastImportDate	Last import date in allocation	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.21.1. Exempel på <items> sektion

```

<items>
    <quotaBalanceEvent
        at:importedAmount="1038096"
        at:occurrenceTimestamp="2009-06-18T15:56:14"
        at:SIDQuotaDefinition="2508"
        at:lastImportDate="2009-06-15"
        at:national="0"
        at:newBalance="8961904"
        at:oldBalance="9001614"
        at:changeType="U"/>
    <quotaBalanceEvent

```

```

at:importedAmount="2000000"
at:occurrenceTimestamp="2009-06-19T15:05:55"
at:SIDQuotaDefinition="1295"
at:lastImportDate="2009-06-17"
at:national="0" at:newBalance="0"
at:oldBalance="123794"
at:changeType="U"/>
</items>

```

2.22. QuotaDefinition.xml

Innehåller EU-gemensam information om tullkvoter. Definierar giltighetsperiod och volym för vilka en tullkvote är tillämplig. Definitionerna gäller kvota och sub-kvota. ”Monetary unit code” och ”measurement unit code” (som är valfri att uppge) är ömsesidigt uteslutande.

<exportType>QuotaDefinitionObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>quotaAssociation</i>	Element ref	Occurs 0..n	
<i>quotaBlockingPeriod</i>	Element ref	Occurs 0..n	
<i>quotaSuspensionPeriod</i>	Element ref	Occurs 0..n	
<i>extendedQuotaInformation</i>	Element ref	Occurs 0..n	
SID	Quota definition SID	N(19,0)	EU defined
quotaOrderNumber	Quota order number id, SAD ref Box 39	C(6)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
volume	Volume	N(14,3)	EU defined
initialVolume	Imnitial volume	N(14,3)	EU defined
monetaryUnitCode	Monetary unit code	C(3)	EU defined
measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
quotaMaximumPrecision	Maximum precision	N(19,0)	EU defined
quotaCriticalSectionCode	Quota critical state	C(1)	EU defined
quotaCriticalThreshold	Quota critical threshold	N(19,0)	EU defined
description	Short description related to the quota definition	C(500)	EU defined
national	National Flag indication of national data	N(1)	

changeType	Represent the type of update that has been performed for this element	C(1)	
------------	---	------	--

2.22.1. Gruppelement quotaAssociation

Kvota associeringar definierar relationen mellan kvota och sub-kvota.

Element ref / Element name	Description	Type	Origin
SIDSUBQuota	Quota definition SID (sub-quota)	N(19,0)	EU defined
relationType	Sub-Quota Relation Type	N(19,0)	EU defined
coefficient	Coefficient	N(16,5)	EU defined
national	National Flag indication national data	N(1)	

2.22.2. Gruppelement quotaBlockingPeriod

Definierar en blockerande period för en (sub-)kvota.

Element ref / Element name	Description	Type	Origin
SID	Quota blocking period definition SID	N(19,0)	EU defined
dateStart	Blocking start date	datum	EU defined
dateEnd	Blocking end date	datum	EU defined
blockingPeriodType	Blocking period type	N(1)	EU defined
description	Short description related to the quota blocking period	C(500)	EU defined
national	National Flag indication national data	N(1)	

2.22.3. Gruppelement quotaSuspensionPeriod

Definierar en suspension period för en (sub-)kvota.

Element ref / Element name	Description	Type	Origin
SID	Quota suspension period definition SID	N(19,0)	EU defined
dateStart	Suspension start date	datum	EU defined
dateEnd	Suspension end date	datum	EU defined
description	Short description of suspension reason	C(500)	EU defined

national	National Flag indication national data	N(1)	
----------	--	------	--

2.22.4. Gruppelement extendedQuotaInformation

Definierar extra information för en given (sub-)kvota.

Element ref / Element name	Description	Type	Origin
balance	balance	N(14,3)	EU defined
importedAmount	Imported amount	N(14,3)	EU defined
lastAllocationDate	Last allocation date	datum	EU defined
allocatedPercentage	Allocated percentage	N(6,3)	EU defined
lastImportDate	Last import date	datum	EU defined
quotaExhaustionStateCode	Quota exhaustion state	C(1)	EU defined
exhaustionDate	Quota exhaustion state	datum	EU defined
quotaBlockedStateCode	Quota blocked state	C(1)	EU defined
quotaSuspendedStateCode	Quota suspended state	C(1)	EU defined
totalAwaitingAllocation	Total awaiting allocation	N(14,3)	EU defined
national	National Flag indication national data	N(1)	

2.22.5. Exempel på <items> sektion

```
<items>
  <quotaDefinition
    at:description="Transfer from licence system to FCFS (see Commission
Regulation (EC) No
  437/2009 of 26/05/2009 - OJ L 128 of 27/05/2009)"
    at:dateEnd="2014-06-30" at:initialVolume="24070"
    at:measurementUnitCode="NAR"
    at:national="0"
    at:quotaCriticalSectionCode="N"
    at:quotaCriticalThreshold="90"
    at:quotaMaximumPrecision="0"
    at:quotaOrderNumber="090113"
    at:SID="7486"
    at:SIDQuotaOrderNumber="2455"
    at:dateStart="2013-07-01"
    at:volume="24070" at:changeType="U">
  </quotaDefinition>
  <quotaDefinition
    at:description="COMMISSION IMPLEMENTING REGULATION (EU) No
812/2012 amending
```

Council Regulation (EC) No 747/2001 as regards tariff quotas of the Union for certain

agricultural and processed agricultural products originating in Morocco"
 at:dateEnd="2014-05-31"
 at:initialVolume="28000000"
 at:measurementUnitCode="KGM"
 at:national="0" at:quotaCriticalSectionCode="Y"
 at:quotaCriticalThreshold="90"
 at:quotaMaximumPrecision="0"
 at:quotaOrderNumber="091112"
 at:SID="7652"
 at:SIDQuotaOrderNumber="501"
 at:dateStart="2013-11-01"
 at:volume="45476663"
 at:changeType="U">
<quotaAssociation
 at:coefficient="1"
 at:SIDSubQuota="7653"
 at:national="0"
 at:relationType="NM"/>
</quotaDefinition>
<quotaDefinition
 at:description="Commission Regulation (EU) No. 185/2011 of 25 February 2011
(OJ L53 page
36)"
 at:dateEnd="2014-04-30"
 at:initialVolume="950000"
 at:measurementUnitCode="KGM"
 at:national="0"
 at:quotaCriticalSectionCode="N"
 at:quotaCriticalThreshold="90"
 at:quotaMaximumPrecision="0"
 at:quotaOrderNumber="090812"
 at:SID="7772"
 at:SIDQuotaOrderNumber="2544"
 at:dateStart="2013-05-01"
 at:volume="950000" at:changeType="U">
<quotaSuspensionPeriod
 at:description="COUNCIL REGULATION (EC) No 185/2011 Art. 1 § 4"
 at:dateEnd="2013-06-15"
 at:national="0" at:SID="156"
 at:dateStart="2013-05-01"/>
</quotaDefinition>
<quotaDefinition
 at:description="COMMISSION REGULATION (EC) No 928/2006 amending
Council Regulation
(EC) No 32/2000 as regards certain new Community tariff quotas bound in GATT
(OJ L 170,
23.6.2006, p.14)" at:dateEnd="2014-12-31"
 at:initialVolume="107000"

```

at:measurementUnitCode="KGM"
at:national="0"
at:quotaCriticalStateCode="Y"
at:quotaCriticalThreshold="90"
at:quotaMaximumPrecision="3"
at:quotaOrderNumber="090085"
at:SID="8268" at:SIDQuotaOrderNumber="90"
at:dateStart="2014-01-01"
at:volume="107000"
at:changeType="U">
    <quotaBlockingPeriod
        at:blockingPeriodType="3"
        at:dateEnd="2014-12-31"
        at:national="0"
        at:SID="2494"
        at:dateStart="2014-12-11"/>
</quotaDefinition>
</items>

```

2.23. QuotaEvent.xml

<exportType>QuotaEventObject</exportType> byggs upp av 6 oberoende event-objekt som kan förekomma.

2.23.1. quotaUnblockingEvent

Definierar att en (sub-)kvota är oblockerad.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
unblockingDate	Unblocking date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
National	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.2. quotaCriticalEvent

Definierar en förändring av kritisk status för en (sub-)kvota.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
quotaCriticalStateCode	Quota critical state	C(2)	EU defined
criticalDate	Critical state change date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
National	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.3. quotaExhaustionEvent

Definierar när en (sub-)kvota tar slut.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
exhaustionDate	Exhaustion date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.4. quotaReopeningEvent

Definierar återöppningen för en (sub-)kvota efter det att den tagit slut.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
reopeningDate	Reopening date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.5. quotaUnsuspenstionEvent

Definierar slutet för en kvots suspensionsperiod.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined
occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
unsuspensionDate	Unsuspenstion date	datum	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.6. quotaClosedAndBalanceTransferredEvent

Definierar stängningen av en tullkvot efter det att dess återstående volym har överförts.

Element ref / Element name	Description	Type	Origin
SIDQuotaDefinition	Quota definition SID	N(19,0)	EU defined

occurrenceTimestamp	Quota event occurrence timestamp	timestamp	EU defined
closingDate	Closing Date	datum	EU defined
transferredAmount	Transferred amount	N(14,3)	EU defined
SIDTargetDefinition	Target quota definition SID	N(19,0)	EU defined
endOccurrenceTimestamp	Timestamp just before the occurrence timestamp of next record	timestamp	National
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.23.7. Exempel på <items> sektion

```

<items>
  <quotaUnblockingEvent
    at:occurrenceTimestamp="2005-08-16T14:41:58"
    at:SIDQuotaDefinition="2012"
    at:national="0"
    at:unblockingDate="2005-08-16"
    at:changeType="U"/>
  <quotaCriticalEvent
    at:criticalDate="2003-07-01"
    at:quotaCriticalSectionCode="Y"
    at:occurrenceTimestamp="2003-06-13T15:54:36"
    at:SIDQuotaDefinition="1392"
    at:national="0"
    at:changeType="U"/>
  <quotaExhaustionEvent
    at:exhaustionDate="2004-03-26"
    at:occurrenceTimestamp="2004-03-30T14:49:44"
    at:SIDQuotaDefinition="3841"
    at:national="0"
    at:changeType="U"/>
  <quotaReopeningEvent
    at:occurrenceTimestamp="2009-07-01T13:28:45"
    at:SIDQuotaDefinition="79"
    at:national="0"
    at:reopeningDate="2009-06-25"
    at:changeType="U"/>
  <quotaUnsuspensionEvent
    at:occurrenceTimestamp="2013-05-02T15:54:03"
    at:SIDQuotaDefinition="7030"
    at:national="0"
    at:unsuspensionDate="2013-05-02"
    at:changeType="U"/>
</items>
```

2.24. QuotaOrderNumber.xml

Innehåller information om EU-gemensamma ordernummer/kvotnummer.

<exportType>QuotaOrderNumberObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>quotaOrderNumberOrigin</i>	Element ref	Occurs 0..n	
SID	Quota order number SID	N(19,0)	EU defined
quotaOrderNumber	Quota order number id, SAD Ref Box 39	C(6)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.24.1. Gruppelement quotaOrderNumberOrigin

Element ref / Element name	Description	Type	Origin
<i>quotaOrderNumberOriginExclusion</i>	Element ref	0..n	
SID	SID for Quota order number origin	N(19,0)	EU defined
SIDGeographicalArea	ID for geographical area	N(19,0)	EU defined
geographicalAreaid	Geographical area id	C(4)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	

2.24.2. Gruppelement quotaOrderNumberOriginExclusion

Element ref / Element name	Description	Type	Origin
geographicalAreaid	SID for geographical area	N(8)	EU defined

national	National Flag indication of national data	N(1)	
----------	---	------	--

2.24.3. Exempel på <items> sektion

```
<items>
  <quotaOrderNumber
    at:national="0"
    at:quotaOrderNumber="090703"
    at:SID="203"
    at:dateStart="2005-04-01"
    at:changeType="U">
    <quotaOrderNumberOrigin
      at:geographicalAreaId="NO"
      at:national="0" at:SID="6414"
      at:SIDGeographicalArea="252"
      at:dateStart="2009-04-01"/>
  </quotaOrderNumber>
</items>
```

2.25. Regulation.xml

<exportType>RegulationObject</exportType> byggs upp av 4 oberoende förordningsobjekt (regulation) som kan förekomma.

2.25.1. baseRegulation

För en grundläggande ”förordning” skapas åtgärder. Åtgärderna behöver inte ha ett slutt datum men ska alltid ha ett start datum. Undantaget från den här regeln är när en förordning har ett start datum som beror på publicerings datum. I detta fall kan en tillfällig basförordning utgöras av uppgifter som överförs utan ett start datum. Basförordningar kan modifieras, förlängas, suspenderas eller bli helt återtagna.

Element ref / Element name	Description	Type	Origin
regulationRoleType	Base regulation role	C(1)	EU defined
regulationId	Base regulation id	C(8)	EU defined
datePublished	Base regulation publication date	datum	EU defined
officialJournalId	Official journal number	C(5)	EU defined
journalPage	Official journal page	C(4)	EU defined
dateStart	Validity start date of base regulation	datum	EU defined

dateEnd	Validity end date of base regulation	datum	EU defined
effectiveEndDate	Base regulation effective end date	datum	EU defined
communityCode	Community code	C(1)	EU defined
regulationGroup	Regulation group id	C(3)	EU defined
antidumpingRegulationRoleType	Anti-dumping regulation role	C(1)	EU defined
antidumpingRegulationId	Related anti-dumping regulation id	C(8)	EU defined
replacementIndicator	Replacement indicator	C(1)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
description	Information text	C(500)	EU defined
regulationApprovedFlag	Approved flag	C(1)	EU defined
url	URL with more information about the regulation. Represent the national column X_URL	C(1000)	National
national	National Flag indication of national data	N(1)	National
changeType	Represent the type of update that has been performed for this element	C(1)	

2.25.2. modificationRegulation

En modifieringsförordning används för att göra tillägg till en existerande basförordning. Detta har ingen effekt på den ursprungliga förordningen. Tilläggen utgörs av nya åtgärder eller stängning av gamla åtgärder. En modifieringsförordning kan bara appliceras inom giltighetsperioden för basförordningen.

Element ref / Element name	Description	Type	Origin
modificationRegulationRoleType	Modification regulation role	C(1)	EU defined
modificationRegulationId	Modification regulation id	C(8)	EU defined
datePublished	Modification regulation publication date	datum	EU defined
officialJournalId	Official journal number	C(5)	EU defined
journalPage	Official journal page	C(4)	EU defined
dateStart	Validity start date of modification regulation	datum	EU defined
dateEnd	Validity end date of modification regulation	datum	EU defined

effectiveEndDate	Modification regulation effective end date	datum	EU defined
baseRegulationRoleType	Base regulation role	C(1)	EU defined
baseRegulationId	Base regulation id	C(8)	EU defined
replacementIndicator	Replacement indicator	C(1)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
description	Information text	C(500)	EU defined
regulationApprovedFlag	Approved flag	C(1)	EU defined
national	National Flag indication of national data	N(1)	National
changeType	Represent the type of update that has been performed for this element	C(1)	

2.25.3. fullTemporaryStopRegulation

En fullt temporärt stopp förordning (också kallat temporär suspension) påverkar en eller flera bas- eller modifieringsförordningar. Användningen av en förordning är stoppad från ett givet datum fram till det fördefinierade slutdatumet eller tills den temporära suspensionen blir återtagen. Alla åtgärder som är relaterade till den suspenderade förordningen påverkas.

Element ref / Element name	Description	Type	Origin
<i>fullTemporaryStopRegulationAction</i>	Element ref	0..n	
ftsRegulationRoleType	Full temporary stop regulation role	C(1)	EU defined
ftsRegulationId	Full temporary stop regulation id	C(8)	EU defined
datePublished	Full temporary stop regulation publication date -	datum	EU defined
officialJournalId	Official journal number	C(5)	EU defined
journalPage	Official journal page	C(4)	EU defined
dateStart	Validity start date of full temporary stop regulation	datum	EU defined
dateEnd	Validity end date of full temporary stop regulation	datum	EU defined
effectiveEndDate	Effective end date of full temporary stop regulation	datum	EU defined
replacementIndicator	Replacement indicator	C(1)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined
description	Information text	C(500)	EU defined
regulationApprovedFlag	Approved flag	C(1)	EU defined

national	National Flag indication of national data	N(1)	National
changeType	Represent the type of update that has been performed for this element	C(1)	

2.25.4. Gruppelement fullTemporaryStopRegulationAction

Innehåller den stoppade förordningen.

Element ref / Element name	Description	Type	Origin
stoppedRegulationRoleType	Role of stopped regulation	C(1)	EU defined
stoppedRegulationId	Stopped regulation id	C(8)	EU defined
national	National Flag indication of national data	N(1)	

2.25.5. Exempel på <items> sektion

```
<items>
  <baseRegulation
    at:regulationApprovedFlag="1"
    at:communityCode="1"
    at:datePublished="1995-06-29"
    at:regulationGroup="ADD"
    at:officialJournalId="L 145"
    at:journalPage="47"
    at:regulationId="R9514840"
    at:regulationRoleType="1"
    at:national="0"
    at:replacementIndicator="0"
    at:dateStart="1995-07-01"
    at:stoppedFlag="0"
    at:description="Additional duties (Poultry)"
    at:changeType="U"/>
  <modificationRegulation
    at:regulationApprovedFlag="1"
    at:baseRegulationId="R9217661"
    at:baseRegulationRoleType="1"
    at:modificationRegulationId="C9700630"
    at:modificationRegulationRoleType="4"
    at:national="0" at:replacementIndicator="1"
    at:dateStart="1997-02-25"
    at:stoppedFlag="0"
    at:description="Measure 103 (Chapter 10)"
    at:changeType="U"/>
```

```

<fullTemporaryStopRegulation
    at:regulationApprovedFlag="1"
    at:officialJournalId="L 81"
    at:journalPage="89"
    at:ftsRegulationId="D0402642"
    at:ftsRegulationRoleType="8"
    at:national="0"
    at:datePublished="2004-03-19"
    at:replacementIndicator="0"
    at:dateStart="2004-03-20"
    at:description="ADUMP - 552 - CN - Chap 27" at:changeType="U">
    <fullTemporaryStopRegulationAction
        at:stoppedRegulationId="D0402641"
        at:stoppedRegulationRoleType="4" at:national="0"/>
</fullTemporaryStopRegulation>
</items>

```

2.26. ReliefCode.xml

Innehåller tullfrihetskoder. Varje kod är grupperad under en tullfrihetkodtyp men kodtypen används aldrig som ett sätt att identifiera tullfrihetskoden.

För tullfrihetsprocedur så görs det en distinktion för vilken tullfrihet som kan tillämpas i förhållande till vilket SAD fält som har använts (fält 37B = 37 och fält 44 = 44).

<exportType>ReliefCodeObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>reliefCodeDescriptionPeriod</i>	Element ref	Occurs 0..n	
SID	SID of relief code	N(19,0)	
dateStart	Validity start date of relief code	datum	
dateEnd	Validity end date of relief code	datum	
reliefCodeType	Type id of relief code	C(1)	
reliefCode	Relief code. This id is used when calculating relief	C(7)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.26.1. Gruppelement reliefCodeDescriptionPeriod

Innehåller tullfrihetskoden och start-/slutdatum för en beskrivning.

Element ref / Element name	Description	Type	Origin
---------------------------------------	--------------------	-------------	---------------

<i>reliefCodeDescription</i>	Element ref	Occurs 0..n	
SID	SID of relief code description period	N(19,0)	
dateStart	Validity start date of relief code description	datum	
dateEnd	Validity start date of relief code description	datum	

2.26.2. Gruppelement reliefCodeDescription

Innehåller beskrivningen av en tullfrihetskod.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	
description	Long description of relief code	C(4000) (CLOB)	

2.26.3. Exempel på <items> sektion

```
<items>
  <reliefCode
    at:reliefCode="01"
    at:SID="-10002"
    at:dateStart="2009-01-01"
    at:reliefCodeType="E"
    at:changeType="U">
    <reliefCodeDescriptionPeriod
      at:SID="-10002"
      at:dateStart="2009-01-01">
        <reliefCodeDescription
          at:description="No calculation of Import duty"
          at:languageId="EN"/>
      </reliefCodeDescriptionPeriod>
    </reliefCodeDescriptionPeriod>
  </reliefCode>
  <reliefCode
    at:reliefCode="02"
    at:SID="-10003"
    at:dateStart="2009-01-01"
    at:reliefCodeType="E"
    at:changeType="U">
    <reliefCodeDescriptionPeriod
      at:SID="-10003"
      at:dateStart="2009-01-01">
        <reliefCodeDescription
          at:description="No calculation of Excise">
      </reliefCodeDescriptionPeriod>
    </reliefCodeDescriptionPeriod>
  </reliefCode>
</items>
```

```

        at:languageId="EN"/>
    </reliefCodeDescriptionPeriod>
</reliefCode>
</items>

```

2.27. TaxCode.xml

Innehåller både EU-gemensamma och nationella avgiftskoder.

Element ref / Element name	Description	Type	Origin
<i>taxDescription</i>	Element ref	0..n	
SID	SID of tax code	N(19,0)	
dateStart	Validity start date of tax code	datum	
dateEnd	Validity end date of tax code	datum	
taxCode	Tax code	C(3)	
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.27.1. Gruppelement taxDescription

Innehåller beskrivningen för en avgiftskod.

Element ref / Element name	Description	Type	Origin
languageId	Language id of description	C(2)	
description	Long description of tax code	C(2000)	

2.27.2. Exempel på <items> sektion

```

<items>
    <taxCode
        at:national="1"
        at:SID="-10007"
        at:dateStart="2009-01-01"
        at:taxCode="S15"
        at:changeType="U">
        <taxCodeDescription

```

```

        at:description="National excise S15"
        at:languageId="EN"
        at:SID="-10007"/>
    </taxCode>
    <taxCode
        at:national="1"
        at:SID="-10006"
        at:dateStart="2009-01-01"
        at:taxCode="S14"
        at:changeType="U">
        <taxCodeDescription
            at:description="National excise S14"
            at:languageId="EN"
            at:SID="-10006"/>
    </taxCode>
</items>
```

2.28. DutyExpression.xml

Avgiftsberäkningen definierar typen av avgift som måste användas tillsammans med en beräkningskomponent. Det bestämmer även hur avgiften ska presenteras, t.ex om ett värde är ”tillåtet” eller ”obligatoriskt”.

<exportType>DutyExpressionObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>dutyExpressionDescription</i>	Element ref	0..n	
dutyExpressionId	Duty expression id	C(2)	EU defined
dutyAmountApplicabilityCode	Duty amount applicability code	C(1)	EU defined
measurementUnitApplicabilityCode	Measurement unit applicability code	C(1)	EU defined
monetaryUnitApplicabilityCode	Monetary unit applicability code	C(1)	EU defined
dateStart	Validity start date	datum	EU defined
dateEnd	Validity end date	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.28.1. Gruppelement dutyExpressionDescription

Beskrivning för en avgiftsberäkning.

Element ref / Element name	Description	Type	Origin
languageld	Language id of description	C(2)	EU defined
description	Short description of duty expression	C(500)	EU defined
national	National Flag indication of national data	N(1)	

2.28.2. Exempel på <items> sektion

```
<items>
  <dutyExpression
    at:dutyAmountApplicabilityCode="1"
    at:dutyExpressionId="01"
    at:measurementUnitApplicabilityCode="0"
    at:monetaryUnitApplicabilityCode="0"
    at:national="0"
    at:dateStart="1972-01-01"
    at:changeType="U">
    <dutyExpressionDescription
      at:description="% or amount"
      at:languageId="EN"
      at:national="0"/>
    <dutyExpressionDescription
      at:description="% eller belopp"
      at:languageId="SV"
      at:national="0"/>
  </dutyExpression>
</item>
```

2.29. GoodsNomenclature.xml

Varukodsnomenklaturen tillhandahåller klassificering av varor varvid det blir möjligt att associera åtgärder, fotnoter etc. med särskilda varor. Varukoden är en strukturerad 10-siffrig kod. De första 6 sifforna är HS kodens (Harmonised System). KN (Kombinerade Nomenklaturen) är en nedbrytning till 8-ställig nivå och Taric förfinat ned till 10-ställig nivå.

<exportType>GoodsNomenclatureObject</exportType>

Element ref / Element name	Description	Type	Origin

<i>goodsNomenclatureIndent</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureDescriptionPeriod</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>goodsNomenclatureGroupMembership</i>	Element ref	Occurs 0..n	
SID	SID for goods nomenclature item	N(19,0)	EU defined
<i>goodsNomenclatureCode</i>	Goods nomenclature item id, SAD Ref : Box 33:1	C(10)	EU defined
<i>productLineSuffix</i>	Product line suffix	C(2)	EU defined
<i>dateStart</i>	Validity start date of goods nomenclature item	datum	EU defined
<i>dateEnd</i>	Validity end date of goods nomenclature item	datum	EU defined
<i>statisticalIndicator</i>	Statistical/non statistical indicator	C(1)	EU defined
<i>national</i>	National Flag indication of national data	N(1)	
<i>changeType</i>	Represent the type of update that has been performed for this element	C(1)	

2.29.1. Gruppelement *goodsNomenclatureIndent*

Innehåller antalet indenteringar av varukoden.

Element ref / Element name	Description	Type	Origin
SID	SID for goods nomenclature indent	N(19,0)	EU defined
<i>quantityIndents</i>	Number of indents	C(2)	EU defined
<i>dateStart</i>	Validity start date of goods nomenclature indent	datum	EU defined
<i>dateEnd</i>	Validity end date of goods nomenclature indent	datum	EU defined
<i>national</i>	National Flag indication national data	N(1)	

2.29.2. Gruppelement *goodsNomenclatureDescriptionPeriod*

Beskrivningen av en varukod kan ändras över tiden. Beskrivningsperioden innehåller start-/slutdatum.

Element ref / Element name	Description	Type	Origin
<i>goodsNomenclatureDescription</i>	Element ref	0..n	
SID	SID for goods nomenclature description period	N(19,0)	EU defined
dateStart	Validity start date of goods nomenclature description	datum	EU defined
dateEnd	Validity end date of goods nomenclature description	datum	EU defined
National	National Flag indication national data	N(1)	

2.29.3. Gruppelement goodsNomenclatureDescription

Beskrivningen är unik för en varukod för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
Language	Language id of description	C(2)	EU defined
Description	Long description for goods nomenclature	C(4000) CLOB	EU defined
National	National Flag indication national data	N(1)	

2.29.4. Gruppelement goodsNomenclatureFootnoteAssociation

Associationen mellan en fotnot och en varukod kan vara giltig för en del av giltighetsperioden för fotnoten likaväl som för en del av giltighetsperioden för varukoden.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type	C(3)	EU defined
footnotId	Footnote id	C(5)	EU defined
dateStart	Validity start date of association between goods nomenclature item and footnote	datum	EU defined

dateEnd	Validity end date of association between goods nomenclature item and footnote	datum	EU defined
National	National Flag indication national data	N(1)	

2.29.5. Gruppelement goodsNomenclatureGroupMembership

Tillhörighet till en varukodsgrupp identifierar den period för vilken en varukod tillhör en varukodsgrupp. Det är inte nödvändigt att giltighetsperioderna överlappar varandra.

Element ref / Element name	Description	Type	Origin
goodsNomenclatureGroupType	Goods nomenclature group type	C(1)	EU defined
goodsNomenclatureGroupId	Goods nomenclature group	C(6)	EU defined
dateStart	Validity start date of membership of goods nomenclature group	datum	EU defined
dateEnd	Validity end date of membership of goods nomenclature group	datum	EU defined
National	National Flag indication national data	N(1)	

2.29.6. Exempel på <items> sektion

```
<items>
  <goodsNomenclature
    at:goodsNomenclatureCode="0201300020"
    at:national="0"
    at:productLineSuffix="80"
    at:SID="96157"
    at:dateStart="2011-12-01"
    at:statisticalIndicator="0"
    at:changeType="U">
    <goodsNomenclatureIndent
      at:national="0"
      at:quantityIndents="02"
      at:SID="96212"
      at:dateStart="2011-12-01"/>
    <goodsNomenclatureDescriptionPeriod
      at:national="0"
      at:SID="118463"
      at:dateStart="2011-12-01">
      <goodsNomenclatureDescription
```

```

at:description="Buffelkött"
at:languageId="SV"
at:national="0"/>
<goodsNomenclatureDescription
    at:description="Buffalo meat"
    at:languageId="EN"
    at:national="0"/>
</goodsNomenclatureDescription>
<goodsNomenclatureGroupMembership/>
</goodsNomenclature>
</items>

```

2.30. ExportRefundNomenclature.xml

Exportbidrag nomenklaturen är en särskild nomenklatur som används vid exportbidrag för vissa jordbruksprodukter. Denna nomenklatur består av en KN-kod tillsammans med en 4-ställig kod s.k. ”tilläggskod för exportbidrag”. Beskrivningen av godset är kopplad till den 12-ställiga (8+4) kombinationen. Tilläggskoder för exportbidrag hanteras inte enskilt utan är alltid ett tillägg till KN-koden.

<exportType>ExportRefundNomenclatureObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>exportRefundNomenclatureIndent</i>	Element ref	Occurs 0..n	
<i>exportRefundNomenclatureDescriptionPeriod</i>	Element ref	Occurs 0..n	
<i>exportRefundNomenclatureFootnoteAssociation</i>	Element ref	Occurs 0..n	
SID	SID for export refund nomenclature	N(19,0)	EU defined
SIDGoodsNomenclature	SID for goods nomenclature	N(19,0)	EU defined
goodsNomenclatureCode	Goods nomenclature item id	C(10)	EU defined
additionalCodeType	Additional code type	C(2)	EU defined
exportRefundCode	Export refund code	C(3)	EU defined
productLineSuffix	Product line suffix	C(2)	EU defined

dateStart	Validity start date of export refund nomenclature	datum	EU defined
dateEnd	Validity end date of export refund nomenclature	datum	EU defined
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.30.1. Gruppelement exportRefundNomenclatureIndent

Beskriver antalet indenteringar för en exportbidragskod.

Element ref / Element name	Description	Type	Origin
dateStart	Validity start date of export refund nomenclature indent	datum	EU defined
dateEnd	Validity end date of export refund nomenclature indent	datum	EU defined
quantityIndents	Number of export refund nomenclature indents	C(2)	EU defined
national	National Flag indication national data	N(1)	

2.30.2. Gruppelement exportRefundNomenclatureDescriptionPeriod

Element ref / Element name	Description	Type	Origin
exportRefundNomenclatureDescription	Element ref	0..N	
SID	SID for export refund nomenclature description period	N(19,0)	EU defined
dateStart	Validity start date of export refund nomenclature description	datum	EU defined
dateEnd	Validity end date of export refund nomenclature description	datum	EU defined
national	National Flag indication national data	N(1)	

2.30.3. Gruppelement exportRefundNomenclatureDescription

Beskrivning av Exportbidrag (ERN) för ett specifikt språk och en given period.

Element ref / Element name	Description	Type	Origin
language	Language id of description	C(2)	EU defined
description	Long description of export refund nomenclature	C(4000) CLOB	EU defined
national	National Flag indication national data	N(1)	

2.30.4. Gruppelement exportRefundNomenclatureFootnoteAssociation

En association mellan en fotnot och exportbidrag kan vara giltig för en del av giltighetsperioden för fotnoten likaväl som en del av giltighetsperioden för exportbidraget.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type	C(3)	EU defined
footnoteld	Footnote id	C(5)	EU defined
dateStart	Validity start date of association between export refund nomenclature and footnote	datum	EU defined
dateEnd	Validity end date of association between export refund nomenclature and footnote	datum	EU defined
national	National Flag indication national data	N(1)	

2.30.5. Exempel på <items> sektion

```
<items>
  <exportRefundNomenclature
    at:additionalCodeType="9"
    at:goodsNomenclatureCode="0402219900"
    at:SIDGoodsNomenclature="29456"
    at:national="0"
    at:productLineSuffix="80"
    at:exportRefundCode="700"
    at:SID="64384" at:dateStart="1996-01-01"
    at:changeType="U">
    <exportRefundNomenclatureIndent
```

```

at:national="0"
at:quantityIndents="06"
at:dateStart="1996-01-01"/>
<exportRefundNomenclatureDescriptionPeriod
at:national="0"
at:SID="621"
at:dateStart="1996-01-01">
    <exportRefundNomenclatureDescription
        at:description="Mer än 69 viktprocent men högst 79
viktprocent"
        at:languageId="SV"
        at:national="0"/>
    <exportRefundNomenclatureDescription
        at:description="Exceeding 69% but not exceeding 79%"
        at:languageId="EN"
        at:national="0"/>
</exportRefundNomenclatureDescriptionPeriod>
<exportRefundNomenclatureFootnoteAssociation
at:footnoteId="055"
at:footnoteType="NX"
at:dateStart="1998-04-01"
at:national="0"/>
<exportRefundNomenclatureFootnoteAssociation
at:footnoteId="040"
at:footnoteType="NX"
at:dateStart="1996-01-01"
at:national="0"/>
<exportRefundNomenclatureFootnoteAssociation
at:footnoteId="037"
at:footnoteType="NX"
at:dateStart="1996-01-01"
at:national="0"/>
</exportRefundNomenclature>
</items>
```

2.31. Measure.xml

Alla åtgärder har giltighetsperioder, startdatum och eventuellt slutdatum. Att använda ett simuleringsdatum är nödvändigt vid sökning efter åtgärder, det vill säga att smälta av sökningen till enbart de åtgärder som är giltiga på det angivna simuleringsdatumet.

Förordningen innehåller information om åtgärden. Den kan hittas genom att leta upp åtgärdens regulationId i baseRegulation eller modificationRegulation (om measure.regulationRoleType är 1, 2 eller 3, kommer förordningen att vara i baseRegulation. Där measure.regulationRoleType är 4, kommer förordningen att vara i modificationRegulation).

- För att bestämma när en åtgärd är stängd, jämför åtgärdens endDate med förordningens effectiveEndDate och använd den tidigaste av dessa datum som slutdatum för åtgärden. Om förordningens effectiveEndDate är null, jämför åtgärdens endDate med förordningens EndDate istället och använd det tidigaste datumet som slutdatum för åtgärden. "

<exportType>MeasureObject</exportType>

Element ref / Element name	Description	Type	Origin
<i>measureComponent</i>	Element ref	Occurs 0..n	
<i>measureCondition</i>	Element ref	Occurs 0..n	
<i>measureExcludedGeographicalArea</i>	Element ref	Occurs 0..n	
<i>measureFootnoteAssociation</i>	Element ref	Occurs 0..n	
<i>measurePartialTemporaryStop</i>	Element ref	Occurs 0..n	
SID	SID for measure	N(19,0)	EU defined
measureType	Measure type	C(6)	EU defined
geographicalAreaId	Geographical area, SAD Ref : Box 34 (Country Code ISO 3166)	C(4)	EU defined
goodsNomenclatureCode	Goods nomenclature item id	C(10)	EU defined
additionalCodeType	Additional code type	C(1)	EU defined
additionalCodeId	Additional code, SAD Ref : Box 33:2-4	C(3)	EU defined
quotaOrderNumber	Quota order number, SAD ref Box 39	C(6)	EU defined
reductionIndicator	Reduction indicator	C(1)	EU defined
dateStart	Validity start date of measure	datum	EU defined
dateEnd	Validity end date of measure	datum	EU defined
regulationRoleType	Role of measure- generating regulation	C(1)	EU defined
regulationId	Id of measure- generating regulation	C(8)	EU defined
justificationRegulationRoleType	Role of justification regulation	C(8)	EU defined
justificationRegulationId	Id of Justification regulation	C(8)	EU defined
stoppedFlag	Stopped flag	C(1)	EU defined

SIDGeographicalArea	SID for geographical area	N(19,0)	EU defined
SIDGoodsNomenclature	SID for goods nomenclature item	N(19,0)	EU defined
SIDAdditionalCode	SID for additional code	N(19,0)	EU defined
SIDEExportRefundNomenclature	SID for export refund nomenclature	N(19,0)	EU defined
expression	National Duty expression (Free format)	C(1000)	
national	National Flag indication of national data	N(1)	
changeType	Represent the type of update that has been performed for this element	C(1)	

2.31.1. Gruppelement measureComponent

Innehåller avgiftsinformationen eller en del av avgiftsinformationen.

Element ref / Element name	Description	Type	Origin
dutyExpressionId	Duty expression id	C(2)	EU defined
dutyAmount	Duty amount, SAD Ref Box 42	N(11,4)	EU defined
monetaryUnitCode	Monetary unit code	C(3)	EU defined
measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
national	National Flag indication of national data	N(1)	

2.31.2. Gruppelement measureCondition

En åtgärd kan bero av villkor som beskrivs i en eller flera poster som kan ha en eller flera komponenter. Villkor för samma villkorstyp tilldelas sekvensnummer. Villkor av olika typer kan kombineras.

Element ref / Element name	Description	Type	Origin
measureConditionComponent	Element ref	0..N	
SID	SID for measure condition	N(19,0)	EU defined
conditionCodeId	Condition code	C(2)	EU defined
sequenceNumber	Component sequence number	C(3)	EU defined
dutyAmount	Condition duty amount	N(11,4)	EU defined
monetaryUnitCode	Condition monetary unit code	C(3)	EU defined

measurementUnitCode	Condition measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Condition measurement unit qualifier code	C(1)	EU defined
actionCode	Action code	C(3)	EU defined
certificateType	Certificate type code	C(1)	EU defined
certificateCode	Certificate code, SAD Ref Box 44	C(3)	EU defined
expression	National duty expression formula using national expression language	C(1000)	
national	National Flag indication national data	N(1)	

2.31.3. Gruppelement measureConditionComponent

Innehåller avgiftsinformationen eller en del av avgiftsinformationen för åtgärdsvillkoret.

Element ref / Element name	Description	Type	Origin
dutyExpressionId	Duty expression id	C(2)	EU defined
dutyAmount	Duty amount, SAD Ref Box 42	N(11,4)	EU defined
monetaryUnitCode	Monetary unit code	C(3)	EU defined
measurementUnitCode	Measurement unit code	C(3)	EU defined
measurementUnitQualifierCode	Measurement unit qualifier code	C(1)	EU defined
national	National Flag indication national data	N(1)	

2.31.4. Gruppelement measureExcludedGeographicalArea

Åtgärdsexkluderade geografiska områden modifierar de tillämpliga geografiska områdena för en åtgärd, som dessutom måste vara en geografisk områdesgrupp.

Element ref / Element name	Description	Type	Origin
geographicalAreaId	Geographical area id	C(4)	EU defined
SIDGeographicalArea	SID for excluded geographical area	N(19,0)	EU defined
national	National Flag indication national data	N(1)	

2.31.5. Gruppelement measureFootnoteAssociation

Associationen av en footnot och en åtgärd är alltid tillämplig för hela åtgärdens giltighetsperiod.

Element ref / Element name	Description	Type	Origin
footnoteType	Footnote type id	C(3)	EU defined
footnoteld	Footnote id	C(5)	EU defined
national	National Flag indication national data	N(1)	

2.31.6. Gruppelement measurePartialTemporaryStop

Ett partiellt temporärt stopp förhindrar användningen av en åtgärd från ett givet datum under en specificerad period, eller till suspensionen upphävs.

Element ref / Element name	Description	Type	Origin
dateStart	Start date of partial temporary stop	datum	EU defined
dateEnd	End date of partial temporary stop	datum	EU defined
regulationId	Partial temporary stop regulation id	C(8)	EU defined
officialJournalId	Official journal number of partial temporary stop regulation	C(5)	EU defined
journalPage	Official journal page of partial temporary stop regulation	C(4)	EU defined
abrogationRegulationId	Abrogation regulation id	C(8)	EU defined
abrogationOfficialJournalId	Official journal number of abrogation regulation	C(5)	EU defined
abrogationJournalPage	Official journal page of abrogation regulation	C(4)	EU defined
National	National Flag indication national data	N(1)	

2.31.7. Exempel på <items> sektion

```
<items>
  <measure
    at:geographicalAreaId="MA"
    at:goodsNomenclatureCode="0805203000"
    at:SIDGoodsNomenclature="68509"
    at:measureType="490"
    at:national="0"
    at:regulationId="C1500300"
    at:regulationRoleType="4"
```

```

at:SID="3413953"
at:SIDGeographicalArea="159"
at:dateStart="2015-02-11"
at:stoppedFlag="0"
at:changeType="U">
  <measureComponent
    at:dutyAmount="128.7"
    at:dutyExpressionId="01"
    at:measurementUnitCode="DTN"
    at:monetaryUnitCode="EUR"
    at:national="0"/>
</measure>
<measure
  at:geographicalAreaId="1011"
  at:goodsNomenclatureCode="0709931000"
  at:SIDGoodsNomenclature="94443"
  at:measureType="490"
  at:national="0"
  at:regulationId="R1501880"
  at:regulationRoleType="4"
  at:SID="3413768"
  at:SIDGeographicalArea="400"
  at:dateStart="2015-02-07"
  at:stoppedFlag="0"
  at:changeType="U">
  <measureComponent
    at:dutyAmount="233"
    at:dutyExpressionId="01"
    at:measurementUnitCode="DTN"
    at:monetaryUnitCode="EUR"
    at:national="0"/>
  <measureExcludedGeographicalArea
    at:geographicalAreaId="TR"
    at:national="0"
    at:SIDGeographicalArea="100"/>
  <measureExcludedGeographicalArea
    at:geographicalAreaId="MA"
    at:national="0"
    at:SIDGeographicalArea="159"/>
</measure>
<measure
  at:dateEnd="2015-06-30"
  at:geographicalAreaId="1011"
  at:goodsNomenclatureCode="0604209090"
  at:SIDGoodsNomenclature="94426"
  at:justificationRegulationId="R1413200"
  at:justificationRegulationRoleType="4"
  at:measureType="710"
  at:national="0"
  at:regulationId="R1413200"

```

```

at:regulationRoleType="4"
at:SID="3411746"
at:SIDGeographicalArea="400"
at:dateStart="2014-12-20"
at:stoppedFlag="0"
at:changeType="U">
  <measureCondition
    at:actionCode="09"
    at:conditionCodeId="Y"
    at:national="0"
    at:sequenceNumber="003"
    at:SID="997085">
  </measureCondition>
  <measureCondition
    at:actionCode="29"
    at:certificateCode="900"
    at:certificateType="Y"
    at:conditionCodeId="Y"
    at:national="0"
    at:sequenceNumber="002"
    at:SID="997084">
  </measureCondition>
  <measureFootnoteAssociation
    at:footnoteId="370"
    at:footnoteType="CD"
    at:national="0"/>
</measure>
</items>

```

2.32. CodeList.xml

CodeList.xml skiljer sig från de övriga xml-filerna då den även specificerar tag-paren <queryDateStart></queryDateStart> och <queryDateEnd></queryDateEnd> i parameter-sektionen. Det förekommer ingen inkrementell hantering av koder, då alla koder alltid tas med.

```

<parameters>
  <queryDateStart>2015-07-20</queryDateStart>
  <queryDateEnd></queryDateEnd>
</parameters>
<items>
  :
  xml detalj sektion
  :
</items>

```

<exportType>CodeListObject</exportType>

Element ref / Element name	Description	Type	Origin

<i>codeTypeDescription</i>	Element ref	Occurs 0..n	
codeTypeId	Type-Id for Code	C(3)	EU defined
id	Id for code	C(10)	EU defined
exportImportType	"A" for all code types except for measure type (MTT) which will be determined based on the 'Trade Movement Code' data and hence "I" or "E"	C(1)	
measureTypeSeriesId		C(1)	EU defined
dateStart	Validity start date of Code	datum	EU defined
dateEnd	Validity end date of Code	datum	EU defined
changeType	Represent the type of update that has been performed for this element	C(1)	
national	National Flag indication national data	N(1)	

2.32.1. Grupp element *codeTypeDescription*

Element ref / Element name	Description	Type	Origin
description	Description of Code	C(2000)	EU defined
language	Language id of description	C(2)	EU defined
national	National Flag indication national data	N(1)	

2.32.2. Exempel på <items> sektion

```

<items>
  <codeType
    at:codeTypeld="ADD"
    at:exportImportType="A"
    at:id="2" at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
    <codeTypeDescription
      at:description="Tariff preference"
      at:languageId="EN"
      at:national="0"/>
    <codeTypeDescription
      at:description="Tullpreferens"
      at:languageId="SV"
      at:national="0"/>
  </codeType>
  <codeType
    at:codeTypeld="MTT"
    at:exportImportType="I"
  
```

```
at:id="105"
at:measureTypeSeriesId="C"
at:national="0"
at:dateStart="2007-01-01"
at:changeType="U">
<codeTypeDescription
    at:description="Non preferential duty under end use"
    at:languageId="EN"
    at:national="0"/>
<codeTypeDescription
    at:description="Icke-preferenstull vid användning för särskilda ändamål"
    at:languageId="SV"
    at:national="0"/>
</codeType>
<codeType
    at:codeTypeId="ROL"
    at:exportImportType="A"
    at:id="UTS"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
<codeTypeDescription
    at:description="Supplementary unit"
    at:languageId="EN"
    at:national="0"/>
<codeTypeDescription
    at:description="Extra mangdenhet"
    at:languageId="SV"
    at:national="0"/>
</codeType>
<codeType
    at:codeTypeId="ROL"
    at:exportImportType="A"
    at:id="VAU"
    at:national="0"
    at:dateStart="1970-01-01"
    at:changeType="U">
<codeTypeDescription
    at:description="Unit price, standard import value"
    at:languageId="EN"
    at:national="0"/>
<codeTypeDescription
    at:description="Enhetspris, schablonvärd"
    at:languageId="SV"
    at:national="0"/>
</codeType>
</items>
```